

# PULSOR 200



## CONSTRUCTION & ENVIRONMENT

Concrete pump and placement

### Applications

High pressure concrete pump hose for boom transfer, placement, and for piling rigs.  
Pneumatic discharge of cement and minerals.  
Pumping of slurry and drilling mud (not oil-laden).  
Grouting of mortar, cement, or concrete.

### Advantages

- Designed for extreme operating conditions such as high pressure and abrasive products.
- Highly abrasion resistant hose to give extended service life.
- Flexible and easy to handle.
- Robust construction to withstand heavy compressive loads and guarantee maximum safety.
- Construction eliminates kinking and allows easy cleaning by reverse pumping.

### Technical description

**Inner tube:** wear resistant NR, black, smooth.

**Reinforcement:** two steel cords plies for ID  $\leq$  65 mm and four steel cords plies for ID  $\geq$  76.2 mm.

**Cover:** wear and weather resistant NR, black, fabric impression.

**Temperature range:** - 30 °C to + 80 °C.

### Couplings/Fittings

Swaged couplings with dimensions according to VICTAULIC or concrete pump manufacturers (PUTZMEISTER, SCHWING, etc.).

## PULSOR 200

28/06/2011

ID mm	Wall thickness mm	OD mm	Working pressure bar	Bursting pressure bar	Max. vacuum bar	Bending radius mm	Weight kg/m	Length m	Article number	Stock (■) or min. order m
50	9.0 ± 0.75	68.0 ± 1.5	85.0	200	0.8	200	2.36	20	0060009	■
65	10.0 ± 0.75	87.0 ± 1.5	85.0	200	0.8	250	3.88	20	0060011	■
76.2	12.9 ± 1.0	102.0 ± 1.5	85.0	200	0.8	270	5.55	20	0125225	■
101.6	14.2 ± 1.0	130.0 ± 1.5	85.0	200	0.8	300	8.13	20	0060160	■
115	14.0 ± 1.0	143.0 ± 1.5	85.0	200	0.8	320	9.21	20	0094788	120
125	16.0 ± 1.0	157.0 ± 1.5	85.0	200	0.8	360	11.33	20	0060161	■
150	18.0 ± 1.0	180.0 ± 1.5	85.0	200	0.8	570	14.85	20	0060010	80

### Branding



and embossed for ID from 50 to 65 mm: TRELLEBORG - PULSOR 200 - Made in France - month/year

and embossed for ID from 76.2 to 150 mm: TRELLEBORG - PULSOR 200 - ND mm/" - WP 85 bar/1250 PSI - Lbs/Ft - FWC - week/year

Distributed by:



Bulgaria  
Telephone: +359 2 973 27 67  
Fax: +359 2 973 26 65  
E-mail: office@daisglobal.eu  
Web: http://markuchi.eu/

România  
Telephone/Fax: +40 21 780 45 58  
E-mail: office\_ro@opwmarket.com  
Web: http://furtunuri.eu/

Srbija  
Telephone/Fax: 038111/2619-200  
E-mail: office\_sr@opwmarket.com  
Web: http://creva.eu/